



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

MANISH KULKARNI

Application No.: 09/196,689

Filed: November 20, 1998

For: DETERMINING COLOR
MAPPINGS FOR A
COLOR PRINTER

U.S. Patent No.: 6,870,636

Issued: March 22, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Examiner: Joseph R. Pokrzywa

Group Art Unit: 2622

Certificate
JUL 01 2005
of Correction

June 28, 2005

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

Patentee's undersigned attorney may be reached in our Costa Mesa, California, office by telephone at (714) 540-8700. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Michael K. O'Neill", written over a horizontal line.

Michael K. O'Neill
Attorney for Patentee
Registration No.: 32,622

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

CA_MAIN 97550v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,870,636 *β2*

DATED : March 22, 2005

INVENTOR(S) : MANISH KULKARNI

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 6

Line 5, " $C+C_0$ and $M+M_0$ " should read " $C=C_0$ and $M=M_0$ ".

COLUMN 7

Line 27, " P_0--- , P_0+- , P_0-+ and P_0++ " should read " P_0-- , P_0+- , P_0-+ and P_0++ ";

Line 35, " P_0++ ," should read " P_0++ ";

Line 36, " P_0-+ ," should read " P_0-+ ";

Line 37, " P_0+- ," should read " P_0+- ";

Line 38, " P_0--- ," should read " P_0-- ";

Line 50, " P_0++ , P_0-+ , P_0+- and P_0--- ," should read " P_0++ , P_0-+ , P_0+- and P_0-- "; and

Line 53, " P_0--- ," should read " P_0-- ".

COLUMN 8

Line 6, " P_1++ ," should read " P_1++ ";

Line 7, " P_1-+ , P_1+- and P_1--- ," should read " P_1-+ , P_1+- and P_1-- "; and

Line 26, " P_0++ , P_0-+ , P_0+- and P_0--- " should read " P_0++ , P_0-+ , P_0+- and P_0-- ".

COLUMN 9

Line 39, " P_x+++ ," should read " P_x++ ";

Line 40, " P_x++- ," should read " P_x++ ";

Line 41, " P_x+-+ ," should read " P_x+- ";

Line 42, " P_x+-- ," should read " P_x+- ";

Line 43, " P_x-++ ," should read " P_x-+ ";

Line 44, " P_x-+- ," should read " P_x-+ ";

Line 45, " P_x-+- ," should read " P_x-- ";

Line 46, " P_x--- ," should read " P_x-- ";

Line 50, " P_x--- and P_x-+- ," should read " P_x-- and P_x-+- ";

Line 51, " P_x--- and P_x-+- ," should read " P_x-- and P_x-+- ";

Line 52, " P_x--- and P_x-+- ," should read " P_x-- and P_x-+- ";

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,870,636

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,870,636 *132*

DATED : March 22, 2005

INVENTOR(S) : MANISH KULKARNI

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Line 53, " $P_x \text{ ---+ and } P_x \text{ ---++}$." should read " $P_x \text{ --+ and } P_x \text{ -++}$.";
Line 55, " $P_x \text{ ---+ and } P_x \text{ +---}$." should read " $P_x \text{ --+ and } P_x \text{ +-+}$.";
Line 56, " $P_x \text{ -+--- and } P_x \text{ ---++}$." should read " $P_x \text{ +-+ and } P_x \text{ -++}$.";
Line 57, " $P_x \text{ -+--- and } P_x \text{ +++--}$." should read " $P_x \text{ +-+ and } P_x \text{ ++-}$.";
Line 58, " $P_x \text{ +--- and } P_x \text{ +---}$." should read " $P_x \text{ +-+ and } P_x \text{ +-+}$.";
Line 59, " $P_x \text{ +--- and } P_x \text{ +++--}$." should read " $P_x \text{ +-+ and } P_x \text{ ++-}$.";
Line 60, " $P_x \text{ +++-- and } P_x \text{ ++++}$." should read " $P_x \text{ ++- and } P_x \text{ ++++}$.";
Line 61, " $P_x \text{ +---+ and } P_x \text{ ++++}$." should read " $P_x \text{ +-++ and } P_x \text{ ++++}$."; and
Line 62, " $P_x \text{ ---++ and } P_x \text{ ++++}$." should read " $P_x \text{ -++ and } P_x \text{ ++++}$."

COLUMN 14

Line 6, "look up" should read --look-up table--;
Line 22, "and" should be deleted;
Line 23, "steps;" should read --steps,--;
Line 36, "color;" should read --color,--; and
Line 53, "look-up" should read --look-up table--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,870,636

No. of add'l. copies
@ 30¢ per page

